

USB to 4 x Serial RS232 Industrial
Part no. MWE814



Port-powered industrial strength USB to 4-port RS232 converter hub with DIN mount. With this unit you can easily add four RS232 ports to almost any computer with a standard USB port. Surge and static protection up to 15KV protects all four COM ports. This converter is made with the high performance and very reliable CP2102 chip from Silicon Labs which gives optimal compatibility and performance with Vista and windows 7, but will also work well with older versions of Windows, Mac and Linux.


Pin no.	RS232
1	TX
2	RX
3	GND
4	TX
5	RX
6	TX
7	RX
8	GND
9	TX
10	RX

**Please download drivers for
this product at:**

www.USconverters.com

SPECIFICATIONS	
Model number	MWE814
Operating system	Windows 98Se, ME, 2000, XP32/64, Vista 32/64, Server 2003/8 32/64, Windows 7 32/64, Mac and Linux
Indication LED lights	Power, TX, RX for all 4 ports
Baud rate	300 - 115200bps
Chipset	Silicon Labs CP2102
Power	Port-powered
Current	< 20mA
Interface 4 x RS232	Screw terminal
RS22 signals	TX, RX, GND
USB	USB 1.1, 2.0 compliant
Cables	USB and 4 x RS232 included
ESD protection	15KV, 600W/ms
Standards	EIA/TIA RS-232C
Handshake / flow control	Automatic Send Data Control
Certifications	CE, FCC, RoHS ISO 9001 Certified
Operating Temp.	-45°C to 85°C
Installation	DIM mount / Screws
Operating humidity	5% To 95% - No Condensation
Warranty	5-year Limited Warranty
ECCN	4A994.a
Schedule B	8471.80.1000
HTS	8517.18.0050

Extending communication distance with RS485



To access technical support, please visit the U.S. Converters website at:
www.USconverters.com
Here you will find:

- Latest drivers and updates for download
- Technical tips
- Documentation
- Configuration support
- and much more...

Feel free to contact our technical support team at mail@usconverters.com with any issues.

Copyrights © U.S. Converters